CUYAHOGA COUNTY BOARD OF HEALTH

YOUR TRUSTED SOURCE FOR PUBLIC HEALTH INFORMATION

5550 Venture Drive Parma, Ohio 44130 216-201-2000 www.ccbh.net

2023 HIV/STI Epidemiological Data Review

Clarence Williams, MPH September 26, 2024

139 new cases of HIV

83% male at birth

55% among Black/African American males



36% noted male-to-male sexual contact as a transmission category for those noted as male sex at birth


55% of new cases of HIV were in persons age 30 and under



- Most affected areas:
- 44102, 44105, 44110, 44146




HIV Diagnosis by Age






■ 15-19 ■ 20-24 ■ 25-29 ■ 30-34 ■ 35-39 ■ 40-44 ■ 45-54 ■ 55-64

HIV Data by Quarter



Five-Year HIV Incidence



→ NEWLY DIAGNOSED CASES



776 new cases of Syphilis

70% male at birth

60% were among persons who are Black/African American



43% of new cases had previous history of a STI

24% of new cases were HIV-positive

Most affected groups:

30-34 years-old


25-29 years-old



- Most affected areas:
- 44102, 44105, 44109, 44128




Syphilis Data by Age






Syphilis Data by Quarter



Five-Year Syphilis Incidence



4,128 new cases of Gonorrhea

57% male at birth

74% were among persons who are Black/African American

56% resided within the City of Cleveland at the time of diagnosis




Females between the ages of 18-29 are disproportionately affected

In recent years, there has also been an increase in the number of infections among those under 18 years of age



Five-Year Gonorrhea Incidence





9,625 new cases of Chlamydia

63% female at birth 43% being Black/African American

37% male at birth

14% among persons who are White




Females between the ages of 18-29 were disproportionately affected

The average age of new cases was 24 years-old



Five-Year Chlamydia Incidence





Prevention & Reduction Strategies

Open Communication

Discuss sexual history, boundaries, and preferences with partners

Use Protection

Always use condoms or dental dams during oral, vaginal, and anal sex to reduce the risk of STIs and HIV

Prevention & Reduction Strategies

Regular Testing

Get tested for STIs regularly Encourage your partner to do the same

Consider PrEP

For those at higher risk for HIV, consider talking to a healthcare provider about pre-exposure prophylaxis (PrEP) as an additional preventive measure



Prevention & Reduction Strategies

Limit Partners

Reducing the number of sexual partners can decrease the risk of STI exposure

Educate Yourself

Attend workshops Seek reliable sexual health information Stay informed about prevention methods CCBH and safe practices



Notes & Limitations

Data is retrieved from the Ohio Disease Reporting System (ODRS)

Please note that all data from ODRS is self-reported by the patient at the time of diagnosis



Notes & Limitations

This information is intended to provide a summary of priority populations

2023 HIV and STI data is still preliminary at this time



CCBH HIV/STI Dashboard

- This dashboard was developed by the Epidemiology, Surveillance and Informatics (ESI) Service Area in conjunction with the Ryan White Part A, Ending the HIV Epidemic (EHE), and HIV Prevention programs at CCBH. The dashboard provides visualizations of HIV/Sexually Transmitted Infections (STI) epidemiological data and HIV care continuum data for Region 3/Cleveland Transitional Grant Area (TGA) – Ashtabula, Cuyahoga, Geauga, Lake, Lorain and Medina counties.
- HIV/STI Dashboard CCBH



Contact Information

Clarence Williams, MPH

cwilliams@ccbh.net

216.201.2000 extension 1643



CUYAHOGA COUNTY BOARD OF HEALTH

YOUR TRUSTED SOURCE FOR PUBLIC HEALTH INFORMATION

5550 Venture Drive Parma, Ohio 44130 216-201-2000 www.ccbh.net









